

CARTON LAMINATOR

SMARTFLUTE

1450 / 1650



HIGH RESPONSIVE
CARTON CONVERTING
MACHINERY



SMARTFLUTE


1450 / 1650

FULLY AUTOMATIC HIGH SPEED LAMINATING MACHINE

Ultra-fast job change-over, suitable for small to large run. High precision, user friendly. Corrugated with cardboard, cardboard with cardboard, cardboard with greyboard, all types of laminating jobs can be easily handled on Smartflute.



A high capacity production solution



Servo control front lays with electronic sensors for sheet registration.



Full automatic job setup with memory function.



Substrate feeding with vacuum and servo motor intermittent driven system.



Servo motor driven suction feed head for top sheet, able to run large format.

AT A GLANCE



FAST PROCESSING

160 m/min



WIDE RANGE

1450 mm to
1650 mm



MATERIALS

Paper board
Carton board
Corrugated board



FLEXIBLE & EASY TO OPERATE



CERTIFICATED

SPECIFICATIONS

Processed materials

Top Feeder	Cardboard 120 - 600 gsm
Bottom Feeder	Cardboard 300 - 800 gsm
	Corrugated board types W, E, F, B, C, A & 5 layers

Functionality

Able to mount	Paper to Cardboard
	Cardboard to Cardboard
	Paper to Flute
	Cardboard to Flute

Capability

Paper size from 410 to 1650 mm
Machine speed max. 160 m/min
Accuracy +/- 1.5 mm

Dimensions & weight	1450	1650
Length	13.66 m	13.66 m
Width	2.23 m	2.43 m
Height	2.5 m	2.50 m
Weight	10 Ton	11 Ton

Installation


Power supply	30 kW	30 kW
--------------	-------	-------

PERIPHERALS




Flip-Flop 1450 / 1650


SCHEME SMARTFLUTE 1450



SCHEME SMARTFLUTE 1650



SCHEME SMARTFLUTE 1450 / 1650 with Flip-Flop





info@dgm-global.com
www.dgm-global.com

TEL (86) 0752-277 37 80
FAX (86) 0752-277 37 78

HuiHuan Industrial Area, Huizhou City,
Guangdong Province, China

DGM Technology (China) Co., Ltd.