FLATBED DIE-CUTTERS

TECHNOCUT

1050 / 1050S




HIGH RESPONSIVE CARTON CONVERTING MACHINERY



TECHNOCUT 1050 / 1050S

FULLY AUTOMATIC FLATBED DIE CUTTING AND CREASING MACHINE

Precise centering, high speed, easy operation, quick job change-over, stable performance and other features make this series of die cutting machines an ideal choice for customers.



A high capacity production solution







Automatic non-stop delivery, side and front joggers for perfect pile stacking.

Main gripper chain guided with nylon rail to maximize durability.







Optional ionised air blowing system at feeder for plastic.

MODELS

TECHNOCUT 1050

Without Stripping unit

TECHNOCUT 1050S

With Stripping unit



FAST PROCESSING

7500 s/h



K N

WIDE RANGE

360 x 400 mm to 750 x 1050 mm



MATERIALS

Paper Cardboard Solid board Corrugated Board Plastic



FLEXIBLE & **EASY TO OPERATE**






SPECIFICATIONS

TECHNOCUT

Processed materials		
Carton board min.	80 g/m²	
Carton board max.	2000 g/m ²	
Corrugated board max.	4 mm	
Capability		
Sheet size min.	360 x 400 mm	
Sheet size max.	750 x 1050 mm	
Speed	7500 s/h	
Cutting force	300 Ton	
Converting		
Cutting size max.	740 x 1040 mm	
Gripper margin min.	9.5 mm	
Pile height		
Feeder	1650 mm	
Delivery	1300 mm	
Installation		
Power supply	25 kw	
Compressed air	6 bar	
Air compressor capacity	15 m ³ /h	
Air tank capacity	100 L	
Dimensions & weight	1050	1050 S
Length	6.13 m	7.1 m
Width	4.28 m	4.28 m
Height	2.45 m	2.45 m
Net Weight	15 Ton	18 Ton







info@dgm-global.com www.dgm-global.com

TEL (86) 0752-277 37 80 FAX (86) 0752-277 37 78

HuiHuan Industrial Area, Huizhou City, Guangdong Province, China

DGM Technology (China) Co., Ltd